



CP-GMA/GMA/xl

15-pin HD & 3.5mm Audio Cable with a 45°
Side-Angled Connector – Plenum Rated

| VGA/UXGA - 15-pin HD



Kramer's CP-GMA/GMA/xl cable offers the highest possible performance and a configuration designed to give installers and users a new level of convenience and aesthetics. It is ideal for any application requiring no-compromise quality and performance in a plenum rated VGA plus audio cable

FEATURES

Plenum Rating - CP versions of Kramer VGA cables are constructed from CL2P and CMP rated cables

High-Quality Connectors - Slim connectors with shallow depth profile are top priority in this new generation. At the same time aesthetics are even better than before, using elegant molded connectors at one end where it is typically connected to a projector. At the other end an extra shallow 45° VGA connector with removable metal shells is used to provide all possible options for installation in tight quarters

Quality Construction - Kramer's unique hybrid construction using molded and back shell connectors. The 3.5mm audio pigtails are 20cm (8in) at one end, and 61cm (24in) at the other

Flexible Applications - RGBHV signals are all assigned to coaxes so it's easy to cut and convert one end to 5 BNC in the field if needed. The audio travels on an independent shielded pair

Companion Wall Plates - Use Kramer wall plates like a simple modular system consisting of FRAME-1G and WXA-2P

Varied Selection of Lengths - Available in versions of 3 to 150ft (0.9 to 45.7m)

Cable Specs - For detailed specs, see Kramer BCP-6X2T bulk cable. Full support of DDC & pin 9

CONFIGURATIONS

CP-GMA/GMA/XL-25 15-pin HD (M-M) & 3.5mm Molded (Straight) to Backshell (45°)

CP-GMA/GMA/XL-35 15-pin HD (M-M) & 3.5mm Molded (Straight) to Backshell (45°)

CP-GMA/GMA/XL-50 15-pin HD (M-M) & 3.5mm Molded (Straight) to Backshell (45°)

CP-GMA/GMA/XL-75 15-pin HD (M-M) & 3.5mm Molded (Straight) to Backshell (45°)