

**SESCOM**<sup>®</sup>

DESIGNED BY AUDIO ENGINEERS FOR AUDIO ENGINEERS

# Sescom LAPADAP-GL 3.5mm to 3-Pin XLR Laptop to Mic Level Adapter Interface w/ Ground Lift Switch and Level Control



## DESCRIPTION:

The Sescom SES-LAPADAP-GL is the perfect consumer-to-pro interface. Connect your laptop, MP3 player, or CD player to the 3.5mm male input and send professional-grade audio through the XLR male output to professional mixing boards and interfaces. The ground lift switch eliminates unwanted noise, and with built-in volume control, you're in full command of your stereo signal. Compact and rugged, this device is your gateway to seamless audio integration in studios, live performances, and beyond. Developed and hand-assembled in the US.


## FEATURES:

- Converts 3.5mm Stereo Signal to XLR Mono Mic Level Signal
- Perfect for Inserting a Stereo Audio Output with a Mono Mic Level Input on a Mixing Console
- 3.5mm Stereo Male Input & Neutrik XLR Female Mono Mic Level Output
- Ground Lift Switch and Level Control Knob
- Rugged and Compact Metal Housing
- Developed and Hand Assembled in the US

## SPECIFICATIONS:

- Frequency Response Deviation (20Hz-20kHz): +/-2.289 dB
- Signal to Noise Ratio at 0dBFS, A-weighted: 63.4 dB
- Total Harmonic Distortion at 1kHz, 0dBFS: .06%
- Maximum Input Level: > 18dBV
- Maximum Output Level: > 1 dBV
- Dynamic Range: 81.4 dB
- Gain: -17dB per channel, -23 dB combined
- Input Impedance (ohms): 10K ohms
- Output Impedance (ohms): <1K ohms

## CONNECTION DIAGRAM:



Laptop

Mixer

